

Partial Differential Equations, Spring 2020

Homework I: Introduction to PDEs

Aleksandar Donev

Courant Institute, NYU, donev@courant.nyu.edu

Due by 11am Tuesday **Feb. 11th**, 2020

Total number of points is 45.

1. (5pts) Show that

$$u(x, y) = h(y^2 + 2x) + g(y^2 - 2x)$$

satisfies the PDE

$$y^2 u_{xx} + \frac{1}{y} u_y - u_{yy} = 0,$$

for arbitrary sufficiently differentiable functions h and g .

2. (5pts) Show that $u(x, y) = f(x)g(t)h(y)$ is a solution of the PDE

$$u u_{xy} = u_x u_y$$

for arbitrary sufficiently differentiable functions f and h and an arbitrary function g .

3. (10pts) Verify that

$$u(x, t) = \frac{1}{2v} \int_{x-vt}^{x+vt} f(s) ds$$

is a solution of the wave equation $u_{tt} = v^2 u_{xx}$, where $v > 0$ is a constant and f is an arbitrary differentiable function.

Hint: *Lookup "Leibniz integral rule" on Wikipedia.*

4. (5pts) Find the general solution of the equation $u_{xt}(x, t) = 0$ in terms of arbitrary functions.
5. (7.5) Find a function $u(x, y)$ that satisfies the PDE

$$u_{xx} = 0, \quad 0 < x < 1, \quad t > 0$$

subject to the boundary conditions

$$\begin{aligned} u(0, t) &= t \\ u(1, t) &= 1. \end{aligned}$$

6. (5pts) For what values of α and β is $u(x, t) = u_0 e^{-\alpha t} \cos(\beta x)$ a solution of the heat equation $u_t = D u_{xx}$. What units do α and β have if the unit of u is $[U]$, the units of x are $[m]$ and the units of t are $[s]$? From this, what is the unit of D [*Hint: We answered this in class*]?
7. (7.5pts, 2.5pts per equation) What is the dispersion relation $\omega(k)$ between the frequency ω and wavenumber k if the so-called plane wave

$$u(x, t) = \exp(-i(kx + \omega t) + \phi),$$

is a solution of:

- (a) The wave equation $u_{tt} = v^2 u_{xx}$.
(b) The advection equation $u_t + v u_x = 0$.
(c) The diffusion equation $u_t = \kappa u_{xx}$.